

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property
Organization
International Bureau



(43) International Publication Date
31 March 2005 (31.03.2005)

PCT

(10) International Publication Number
WO 2005/028372 A2

(51) International Patent Classification⁷: **C02F**
(21) International Application Number:
PCT/US2004/018447
(22) International Filing Date: 10 June 2004 (10.06.2004)
(25) Filing Language: English
(26) Publication Language: English
(30) Priority Data:
60/477,162 10 June 2003 (10.06.2003) US

(71) Applicant (for all designated States except US): **THE C & M GROUP, LLC** [US/US]; 8225 Madrillon Estates Drive, Vienna, VA 22182 (US).

(72) Inventors; and

(75) Inventors/Applicants (for US only): **CARSON, Roger, W.** [US/US]; 8225 Madrillon Estates Drive, Vienna, VA 22182 (US). **BREMER, Bruce, W.** [US/US]; 18300 Feathertree Way, Apartment 304, Montgomery Village, MD 20866-6318 (US). **MASTRACCI, Michael, L.** [US/US]; 15420 Carrollton Road, Rockville, MD 20853

(US). **MAGGARD, Kent, E.** [US/US]; 7419 Elgar Street, Springfield, VA 22151 (US).


(74) Agents: **WRAY, James, C. et al.**; 1493 Chain Bridge Road, Suite 300, McLean, VA 22101 (US).

(81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.

(84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

[Continued on next page]

(54) Title: APPARATUS AND PROCESS FOR MEDIATED ELECTROCHEMICAL OXIDATION OF MATERIALS



(57) Abstract: A unique apparatus unique apparatus and process that uses mediated electrochemical oxidation (MEO) for: (1) Destruction of: a) nearly all organic solid, liquid, and gases materials, except fluorinated hydrocarbons; b) all biological solid, liquid, and gases materials; c) and/or dissolution and decontamination (such as cleaning equipment and containers, etc.) of nearly all inorganic solid, liquid, or gas where higher oxidation states exist which includes, but is not limited to, halogenated inorganic compounds (except fluorinated), inorganic pesticides and herbicides, inorganic fertilizers, carbon residues, inorganic carbon compounds, mineral formations, mining tailings, inorganic salts, metals and metal compounds, etc.); and d) combined materials (e.g. a mixture of any of the foregoing with each other); henceforth collectively referred to as materials. (2) Sterilization/disinfection of equipment, glassware, etc., by destroying all existing infectious materials. (3) Dissolution

of transuranic/actinide materials and/or destruction of the oxidizable components in the hazardous waste portion of mixed waste. (4) Generation of hydrogen and oxygen from MEO of materials. (5) Alteration of organic, biological, and inorganic materials by MEO to produce other compounds from these materials. The materials are introduced into an apparatus for contacting the materials electrochemically by anodic oxidation at the anode of an electrochemical cell. The oxidized forms of any other redox couples present are produced either by similar anodic oxidation or reaction with the oxidized form of other redox couples present and are themselves converted to their reduced form, whereupon they are reoxidized by either of the aforementioned mechanisms and the redox cycle continues until all oxidizable material species, including intermediate reaction products, have undergone the desired degree of oxidation. The entire process takes place at temperatures between ambient and approximately 100°C. The oxidation process may be enhanced by the addition of reaction enhancements, such as: ultrasonic energy and/or ultraviolet radiation.

WO 2005/028372 A2



Published:

— without international search report and to be republished
upon receipt of that report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.